

**MESH FABRIC FEATURES / FILE KUMAŞ TEKNİK ÖZELLİKLER**

<i>Technical Features</i> Teknik Özellikler	<i>Unite</i> Birim	<i>Test Results</i> Test Sonuç
<i>Mesh Fabric width / File Kumaş En</i>cm		122 cm ±%3
<i>Weight in grams / Gramaj</i>gr/m ²		520 gr ±%5
<i>Abrasion / Aşınma</i>RUB		25,600
<i>Fastness to Light (light) / Işık Haslıđı açık renk</i>BW		4
<i>Fastness to Light (dark) / Işık Haslıđı koyu renk</i>BW		5
<i>Fastness to rubbing (dry) / Sürtünme Haslıđı Kuru</i>GS		4-5
<i>Fastness to rubbing (wet) / Sürtünme Haslıđı Yaş</i>GS		4-5
<i>Tensile strength (width) / Kopma Mukavemeti en</i>N/mm		24,41
<i>Tensile strength (length) / Kopma Mukavemeti boy</i>N/mm		39,66
<i>Tearing strength (width) / Yırtılma en</i>N		145,90
<i>Tearing strength (length) / Yırtılma boy</i>N		39,57
<i>Bursting resistance test / Açılma direnç testi</i>kgf/cm ²		40,56

Composition / Bileşimi Polyester %100

CLEANING / TEMİZLİK

- * Use vacuumed cleaner of flexible brush against dust.
- * Please use a high absorbing swab or paper to remove water or any liquid.
- *Do not use cleaners consisting bleach.
- *Avoid to use in high temperature environment or direct sunlight
- *Avoid to contact with sharp contact
- *Keep away from sources of ignition

- * Süpürge makinası veya toza karşı esnek fırça kullanınız.
- * Su veya herhangi bir sıvıyı temizlemek için, sıvı emme kuvveti fazla bez veya kağıt havlu kullanın.
- * Beyazlatıcı temizleyiciler kullanmayınız
- * Direkt güneş ışığından veya aşırı sıcak ortamda kullanmaktan kaçınınız.
- * Keskin yerlere bağlamaktan kaçınınız.
- * Yanıcı kaynaklardan uzak durunuz.

Bürotime has the right to make any changes in color scheme without informing.
Bürotime is not responsible for the differences in fabric and leather colors occurring from printing errors.

Bürotime haber vermeksizin renk deđiştirme hakkına sahiptir.
Kumaş ve derilerde baskıdan kaynaklanan ton farklılıkları firmamız sorumluluğunda deđildir.